Author Index

ABO, T. *see* BANNAI, M.
AGUILAR LEON, D. *see* HERNANDEZ-PANDO, R.
AKAHORI, H. *see* HONMA, N.
AKASAKA, T. *see* HONMA, N.
ALBERTSSON, P. *see* CHUANG, S.S.
ALI, S. *see* O'FLAHERTY, E.
ALLIE, N. *see* JACOBS, M.
AMBROSIUS, D. *see* MATHY, N.L.
AMENDOLA, A. *see* MARTINI, F.
AMMON, C., MEYER, S.P., SCHWARZFISCHER, L., KRAUSE, S.W., ANDREESEN, R. & KREUTZ, M. Comparative analysis of integrin expression on monocyte-derived macrophages and monocyte-derived dendritic cells, 364
ANDERSON, G. & JENKINSON, E. J. Thymus organ cultures and T-cell receptor repertoire development, 405
ANDREESEN, R. *see* AMMON, C.
ARANAZ, A. *see* LIEBANA, E.
ARIEL, A., LIDER, O., BRILL, A., CAHALON, L., SAVION, N., VARON, D. & HERSHKOVIZ, R. Induction of interactions between CD44 and hyaluronic acid by a short exposure of human T cells to diverse pro-inflammatory mediators, 345
ARSENOVIĆ-RANIN, N., VUČEVIĆ, D., OKADA, N., DIMITRIJEVIĆ, M. & ČOLIĆ, M. A monoclonal antibody to the rat Crry/p65 antigen, a complement regulatory membrane protein, stimulates adhesion and proliferation of thymocytes, 334
ASAO, T. *see* ZHANG, T.
AUDE-GARCIA, C. *see* KERBLAT, I.

BAKER, M. *see* WORMLEY F.L., JR
BALK, S.P. *see* EXLEY, M.
BALLESTER, J.M. *see* MACÍAS, C.
BANDO, M. *see* KATAOKA, T.
BANNAI, M., OYA, H., KAWAMURA, T., NAITO, T., SHIMIZU, T., KAWAMURA, H., MIYAJI, C., WATANABE, H., HATAKEYAMA, K. & ABO, T. Disparate effect of *beige* mutation on cytotoxic function between natural killer and natural killer T cells, 165
BARALLE, F. *see* FLÓ, J.
BARTNES, K., LI, X., IWAMOTO, M., IZUI, S. & HANNESTAD, K. Genes predisposing to autoimmunity augment constitutive major histocompatibility complex class II-associated presentation of the self-antigen IgG2a^b *in vivo*, 455
BASSO, G. *see* MATERA, L.
BEALE, D. *see* KIRSCH, R.D.
BEGUM, N.A., MURAKAMI, Y., MIKATA, S., MATSUMOTO, M., HATANAKA, M., NAGASAWA, S., KINOSHITA, T. & SEYA, T. Molecular remodelling of human CD46 for xenotransplantation: designing a potent complement regulator without measles virus receptor activity, 131
BEHARKA, A. *see* HAN, S.N.
BENDER, B.S. *see* HAN, S.N.
BLUMBERG, R.S. *see* EXLEY, M.
BORNSTEIN, Q.L. *see* HERNANDEZ-PANDO, R.
BOSNIC, M. *see* REEVE, V.E.
BOTTLEY, G. & FERNÁNDEZ, N. Dimerization of major histocompatibility complex class I on the surface of THP-1 cells stimulates the expression of inducible nitric oxide synthase and subsequent nitric oxide release, 449
BRILL, A. *see* ARIEL, A.
BROWN, N. *see* JACOBS, M.
BUTCHER, S., CHAHAL, H. & LORD, J.M. Ageing and the neutrophil: no appetite for killing?, 411
BUTLER, J.E., SUN, J., WEBER, P., NAVARRO, P. & FRANCIS, D. Antibody repertoire development in fetal and newborn piglets, III. Colonization of the gastrointestinal tract selectively diversifies the preimmune repertoire in mucosal lymphoid tissues, 119

CAHALON, L. *see* ARIEL, A.
CALLARD, R.E. *see* KOTOWICZ, K.
CHAHAL, H. *see* BUTCHER, S.
CHAIBAN, J. *see* WORMLEY F.L., JR
CHEN, S.-S., GONG, J., LUI, F.-T. & MOHAMMED, U. Naturally occurring polyphenolic antioxidants modulate IgE-mediated mast cell activation, 471
CHIANG, B.-L. *see* WU, W.-M.
CHOO, K.H.A. *see* REEVE, V.E.
CHOTT, A. *see* EXLEY, M.
CHUANG, S.S., KIM, M.H., JOHNSON, L.A., ALBERTSSON, P., KITSON, R.P., NANNMARK, U., GOLDFARB, R.H. & MATHEW, P.A. 2B4 stimulation of YT cells induces natural killer cell cytolytic function and invasiveness, 378
ČOLIĆ, M. *see* ARSENOVIĆ-RANIN, N.
COLIZZI, V. *see* MARTINI, F.
CONNEELY, O.M. *see* CUMBERBATCH, M.
CONTARINI, M. *see* MATERA, L.
CORPER, A.L. *see* KIRSCH, R.D.
CUMBERBATCH, M., DEARMAN, R.J., URIBE-LUNA, S., HEADON, D.R., WARD, P.P., CONNEELY, O.M. & KIMBER, I. Regulation of epidermal Langerhans cell migration by lactoferrin, 21

DAHLGREN, U.I. *see* KARLSSON, M.R.
DAINICHI, T. *see* ZHANG, T.
DALLMAN, M.J. *see* HOYNE, G.F.
DE FELICI, A. *see* MARTINI, F.
DEARMAN, R.J. *see* CUMBERBATCH, M.
DENT, G., MUÑOZ, N.M., ZHU, X., RÜHLMANN, E., MAGNUSSEN, H., LEFF, A.R. & RABE, K.F. Involvement of protein tyrosine kinases in activation of human eosinophils by platelet-activating factor, 231
DIMITRIJEVIĆ, M. *see* ARSENOVIĆ-RANIN, N.
DIXON, G.L.J. *see* KOTOWICZ, K.
DROUET, C. *see* KERBLAT, I.

ESSER, C. *see* KRONENBERG, S.
EXLEY, M., GARCIA, J., WILSON, S.B., SPADA, F., GERDES, D., TAHIR, S.M.A., PATTON, K.T., BLUMBERG, R.S., PORCELLI, S., CHOTT, A. & BALK, S.P. CD1d structure and regulation on human thymocytes, peripheral blood T cells, B cells and monocytes, 37

FAVERO, J. *see* OTTONES, F.
FERNÁNDEZ, N. *see* BOTTLEY, G.
FIDEL P.L., JR *see* WORMLEY F.L., JR
FISCHER, E.M. *see* NIELSEN, C.H.
FLÓ, J., TISMINETZKY, S. & BARALLE, F. Modulation of the immune response to DNA vaccine by co-delivery of co-stimulatory molecules, 259
FRANCIS, D. *see* BUTLER, J.E.
FRANKI, N. *see* SINGHAL, P.C.

GAERTHÉ, B. *see* SHAW, D.M.
GALETTO, A. *see* MATERA, L.
GARCIA, J. *see* EXLEY, M.
GAYO, A. *see* SUÁREZ, A.
GERDES, D. *see* EXLEY, M.
GEUNA, M. *see* MATERA, L.
GILLIESPIE, K.M. *see* SZETO, C.-C.
GIOIA, C. *see* MARTINI, F.

GOLDFARB, R.H. *see* CHUANG, S.S.
GONG, J. *see* CHEN, S.-S.
GOOD, R.A. *see* ZHANG, T.
GORDON, J. & POUND, J.D. Fortifying B cells with CD154: an engaging tale of many hues, 269
GROSS, A. *see* OTTONES, F.
GULER, R. *see* JACOBS, M.
GUTIÉRREZ, C. *see* SUÁREZ, A.

HA, W.K. *see* HAN, S.N.
HAMAOKA, T. *see* ONO, S.
HAN, S.N., WU, D., HA, W.K., BEHARKA, A., SMITH, D.E., BENDER, B.S. & MEYDANI, S.N. Vitamin E supplementation increases T helper 1 cytokine production in old mice infected with influenza virus, 487
HANBA, J. *see* ZHANG, T.
HANNESTAD, K. *see* BARTNES, K.
HANSON, L.Å. *see* KARLSSON, M.R.
HARADA, M. *see* MOTODA, K.
HARRIS, C.L., SPILLER, O.B. & MORGAN, B.P. Human and rodent decay-accelerating factors (CD55) are not species restricted in their complement-inhibiting activities, 462
HATAKEYAMA, K. *see* BANNAI, M.
HATANAKA, M. *see* BEGUM, N.A.
HAVENITH, C.E.G. *see* SHAW, D.M.
HE, C., NONAKA, M., TADA, T., KOJI, T., LI, W., OKADA, N. & OKADA, H. Decay accelerating factor in guinea pig reproductive organs, 91
HE, M. *see* KIRSCH, R.D.
HEADON, D.R. *see* CUMBERBATCH, M.
HEIJNE DEN BAK-GLASHOUWER, M.-J. *see* SHAW, D.M.
HERNÁNDEZ, P. *see* MACÍAS, C.
HERNANDEZ-PANDO, R., BORNSTEIN, Q.L., AGUILAR LEON, D., OROZCO, E.H., MADRIGAL, V.K. & MARTINEZ CORDERO, E. Inflammatory cytokine production by immunological and foreign body multinucleated giant cells, 352
HERNANDEZ-PANDO, R., PAVON, L., OROZCO, E.H., RANGEL, J. & ROOK, G.A.W. Interactions between hormone-mediated and vaccine-mediated immunotherapy for pulmonary tuberculosis in BALB/c mice, 391
HERSHKOVIZ, R. *see* ARIEL, A.
HIMENO, K. *see* ZHANG, T.
HINO, A. *see* WANG, C.-R.
HIROKAWA, K. *see* WANG, C.-R.
HISAEDA, H. *see* ZHANG, T.
HONMA, N., KOSEKI, H., AKASAKA, T., NAKAYAMA, T., TANIGUCHI, M., SERIZAWA, I., AKAHORI, H., OSAWA, M. & MIKAYAMA, T. Deficiency of the macrophage migration inhibitory factor gene has no significant effect on endotoxaemia, 84
HONMA, T. *see* KATAOKA, T.
HONOLD, K. *see* MATHY, N.L.
HOSONO, M. *see* TOUMA, M.
HOYNE, G.F., DALLMAN, M.J. & LAMB, J.R. T-cell regulation of peripheral tolerance and immunity: the potential role for Notch signalling, 281
HUANG, Y., ILDSTAD, S.T., NEIPP, M. & SHIRWAN, H. Mouse xenoantigens contribute to rat T-cell Vβ repertoire generation in mixed xenogeneic bone marrow chimeras, 317
HWANG, S.Y. *see* KIM, T.S.

ILDSTAD, S.T. *see* HUANG, Y.
ISOMÄKI, P. *see* MÖTTÖNEN, M.
IWAMOTO, M. *see* BARTNES, K.
IZUI, S. *see* BARTNES, K.

JACOBS, M., BROWN, N., ALLIE, N., GULER, R. & RYFFEL, B. Increased resistance to mycobacterial infection in the absence of interleukin-10, 494
JENKINSON, E.J. *see* ANDERSON, G.
JOHNSON, L.A. *see* CHUANG, S.S.
JUNGHANS, R.P. *see* TELLEMAN, P.

KAHU, H. *see* KARLSSON, M.R.
KAPASI, A.A. *see* SINGHAL, P.C.
KARLSSON, M.R., KAHU, H., HANSON, L.Å., TELEMO, E. & DAHLGREN, U.I. Tolerance and bystander suppression, with involvment of CD25-positive cells, is induced in rats receiving serum from ovalbumin-fed donors, 326
KATAOKA, T., YAMADA, A., BANDO, M., HONMA, T., MIZOUE, K. & NAGAI, K. FD 891, a structural analogue of concanamycin A that does not affect vacuolar acidification or perforin activity, yet potently prevents cytotoxic T lymphocyte-mediated cytotoxicity through the blockage of conjugate formation, 170
KATO, T. *see* WANG, C.-R.
KATUNUMA, N. *see* ZHANG, T.
KAWAMURA, H. *see* BANNAI, M.
KAWAMURA, T. *see* BANNAI, M.
KERBLAT, I., TONGIANI-DAHSHAN, S., AUDE-GARCIA, C., VILLIERS, M.-B., DROUET, C. & MARCHE, P.N. Tetanus toxin L chain is processed by major histocompatibility complex class I and class II pathways and recognized by $CD8^+$ or $CD4^+$ T lymphocytes, 178
KIM, K.-M. *see* KIM, T.S.
KIM, M.H. *see* CHUANG, S.S.
KIM, T.S., KIM, K.-M., SHIN, B.A. & HWANG, S.Y. Efficient induction of antigen-specific, T helper type 1 immune response by interleukin-12-secreting fibroblasts, 203
KIMBER, I. *see* CUMBERBATCH, M.
KINOSHITA, T. *see* BEGUM, N.A.
KIRBY, J.A. *see* O'FLAHERTY, E.
KIRSCH, R.D., BEALE, D., HE, M., CORPER, A.L., KRAWINKEL-BRENIG, U. & TAUSSIG, M.J. Anti-anti-idiotypic (Ab3) antibodies that bind progesterone-11α–bovine serum albumin differ in their combining sites from antibodies raised directly against the antigen, 152
KIRSCHBAUM, K.S. *see* SCHABACKER, D.S.
KITSON, R.P. *see* CHUANG, S.S.
KIURA, K. *see* MOTODA, K.
KLEIN, N.J. *see* KOTOWICZ, K.
KLINMAN, D.M. *see* VERTHELYI, D.
KOJI, T. *see* HE, C.
KOSEKI, H. *see* HONMA, N.
KOTOWICZ, K., DIXON, G.L.J., KLEIN, N.J., PETERS, M.J. & CALLARD, R.E. Biological function of CD40 on human endothelial cells: costimulation with CD40 ligand and interleukin-4 selectively induces expression of vascular cell adhesion molecule-1 and P-selectin resulting in preferential adhesion of lymphocytes, 441
KRAUSE, S.W. *see* AMMON, C.
KRAWINKEL-BRENIG, U. *see* KIRSCH, R.D.
KREUTZ, M. *see* AMMON, C.
KRONENBERG, S., LAI, Z.-W. & ESSER, C. Generation of αβ T-cell receptor$^+$ $CD4^-$ $CD8^+$ cells in major histocompatibility complex class I-deficient mice upon activation of the aryl hydrocarbon receptor by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, 185
KUBO, K. *see* OKA, S.
KURTH, R. *see* MATHY, N.L.

LAI, Z.-W. *see* KRONENBERG, S.
LAMB, J.R. *see* HOYNE, G.F.
see also PALA, P.
LANZENDÖRFER, M. *see* MATHY, N.L.
LASSILA, O. *see* MÖTTÖNEN, M.
LEER, R.J. *see* SHAW, D.M.
LEFF, A.R. *see* DENT, G.
LESLIE, R.G.Q. *see* NIELSEN, C.H.
LI, H. & WONG, W.S.F. Mechanisms of pertussis toxin-induced myelomonocytic cell adhesion: role of CD14 and urokinase receptor, 502
LI, W. *see* HE, C.
LI, X. *see* BARTNES, K.
LIAUTARD, J. *see* OTTONES, F.
LIAUTARD, J.P. *see* OTTONES, F.
LIDER, O. *see* ARIEL, A.
LIÉBANA, E., ARANAZ, A., WELSH, M., NEILL, S.D. &

POLLOCK, J.M. *In vitro* T-cell activation of monocyte-derived macrophages by soluble messengers or cell-to-cell contact in bovine tuberculosis, 194
LIN, B.-F. *see* WU, W.-M.
LORD, J.M. *see* BUTCHER, S.
LUI, F.-T. *see* CHEN, S.-S.
LUO, W. *see* WORMLEY F.L., JR
LUUKKAINEN, R. *see* MÖTTÖNEN, M.

MACÍAS, C., BALLESTER, J.M. & HERNÁNDEZ, P. Expression and functional activity of the very late antigen-4 molecule on human natural killer cells in different states of activation, 77
MACPHERSON, G. *see* WYKES, M.
MADRIGAL, V.K. *see* HERNANDEZ-PANDO, R.
MAEKAWA, Y. *see* ZHANG, T.
MAGNUSSEN, H. *see* DENT, G.
MARCHE, P.N. *see* KERBLAT, I.
MARSHALL-CLARKE, S., TASKER, L. & PARKHOUSE, R.M.E. Immature B lymphocytes from adult bone marrow exhibit a selective defect in induced hyperexpression of major histocompatability complex class II and fail to show B7.2 induction, 141
MARTINEZ CORDERO, E. *see* HERNANDEZ-PANDO, R.
MARTINI, F., URSO, R., GIOIA, C., DE FELICI, A., NARCISO, P., AMENDOLA, A., PAGLIA, M.G., COLIZZI, V. & POCCIA, F. γδ T-cell anergy in human immunodeficiency virus-infected persons with opportunistic infections and recovery after highly active antiretroviral therapy, 481
MATERA, L., GALETTO, A., GEUNA, M., VEKEMANS, K., RICOTTI, E., CONTARINI, M., MORO, F. & BASSO, G. Individual and combined effect of granulocyte–macrophage colony-stimulating factor and prolactin on maturation of dendritic cells from blood monocytes under serum-free conditions, 29
MATHEW, P.A. *see* CHUANG, S.S.
MATHIESON, P.W. *see* SZETO, C.-C.
MATHY, N.L., SCHEUER, W., LANZENDÖRFER, M., HONOLD, K., AMBROSIUS, D., NORLEY, S. & KURTH, R. Interleukin-16 stimulates the expression and production of pro-inflammatory cytokines by human monocytes, 63
MATSUMOTO, M. *see* BEGUM, N.A.
MATSUYAMA, S. *see* OKA, S.
MATSUZAWA, A. *see* WANG, C.-R.
MEYDANI, S.N. *see* HAN, S.N.
MEYER, S.P. *see* AMMON, C.
MICHALSKA, A.E. *see* REEVE, V.E.
MIKATA, S. *see* BEGUM, N.A.
MIKAYAMA, T. *see* HONMA, N.
MIYAJI, C. *see* BANNAI, M.
MIZOUE, K. *see* KATAOKA, T.
MOHAMMED, U. *see* CHEN, S.-S.
MORGAN, B.P. *see* HARRIS, C.L.
MORI, K.J. *see* TOUMA, M.
MORI, N. *see* OKA, S.
MORO, F. *see* MATERA, L.
MOTODA, K., TAKATA, M., KIURA, K., NAKAMURA, I. & HARADA, M. SHP-1/immunoreceptor tyrosine-based inhibition motif-independent inhibitory signalling through murine natural killer cell receptor Ly-49A in a transinfected B-cell line, 370
MÖTTÖNEN, M., ISOMÄKI, P., LUUKKAINEN, R., TOIVANEN, P., PUNNONEN, J. & LASSILA, O. Interleukin-15 up-regulates the expression of CD154 on synovial fluid T cells, 238
MOZO, L. *see* SUÁREZ, A.
MUÑOZ, N.M. *see* DENT, G.
MURAKAMI, Y. *see* BEGUM, N.A.

NAGAI, K. *see* KATAOKA, T.
NAGASAWA, S. *see* BEGUM, N.A.
NAGASE, H. *see* WANG, C.-R.
NAITO, T. *see* BANNAI, M.
NAKAMURA, I. *see* MOTODA, K.
NAKAYAMA, T. *see* HONMA, N.
NANNMARK, U. *see* CHUANG, S.S.
NARCISO, P. *see* MARTINI, F.
NARIUCHI, H. *see* WANG, C.-R.
NASHED, B.F. *see* ZHANG, T.
NAVARRO, P. *see* BUTLER, J.E.
NEILL, S.D. *see* LIÉBANA, E.
NEIPP, M. *see* HUANG, Y.
NIELSEN, C.H., FISCHER, E.M. & LESLIE, R.G.Q. The role of complement in the acquired immune response, 4
NISHIMURA, N. *see* REEVE, V.E.
NONAKA, M. *see* HE, C.
NORLEY, S. *see* MATHY, N.L.

O'BYRNE, D. & SANSOM, D. Lack of costimulation by both sphingomyelinase and C2 ceramide in resting human T cells, 225
O'FLAHERTY, E., WONG, W.-K., PETTIT, S.J., SEYMOUR, K., ALI, S. & KIRBY, J.A. Regulation of T-cell apoptosis: a mixed lymphocyte reaction model, 289
OKA, S., MORI, N., MATSUYAMA, S., TAKAMORI, Y. & KUBO, K. Presence of B220 within thymocytes and its expression on cell surface during apoptosis, 417
OKADA, H. *see* HE, C.
OKADA, N. *see* ARSENOVIĆ-RANIN, N.
OKADA, N. *see* HE, C.
ONO, S., SHAO, D.-Z., YAMADA, S., YANG, Y., YAMASHITA, M. & HAMAOKA, T. A novel function of B lymphocytes from normal mice to suppress autoimmunity in $(NZB \times NZW)F_1$ mice, 99
OPENSHAW, P.J.M. *see* PALA, P.
OROZCO, E.H. *see* HERNANDEZ-PANDO, R.
OSAWA, M. *see* HONMA, N.
OTTONES, F., LIAUTARD, J., GROSS, A., RABENOELINA, F., LIAUTARD, J.P. & FAVERO, J. Activation of human Vγ9Vδ2 T cells by a *Brucella suis* non-peptidic fraction impairs bacterial intracellular multiplication in monocytic infected cells, 252
OYA, H. *see* BANNAI, M.

PAGLIA, M.G. *see* MARTINI, F.
PALA, P., VERHOEF, A., LAMB, J.R. & OPENSHAW, P.J.M. Single cell analysis of cytokine expression kinetics by human $CD4^+$ T-cell clones during activation or tolerance induction, 209
PARKHOUSE, R.M.E. *see* MARSHALL-CLARKE, S.
PATTON, K.T. *see* EXLEY, M.
PAVON, L. *see* HERNANDEZ-PANDO, R.
PETERS, M.J. *see* KOTOWICZ, K.
PETTIT, S.J. *see* O'FLAHERTY, E.
POCCIA, F. *see* MARTINI, F.
POLLOCK, J.M. *see* LIÉBANA, E.
PORCELLI, S. *see* EXLEY, M.
POUND, J.D. *see* GORDON, J.
POUWELS, P.H. *see* SHAW, D.M.
PUNNONEN, J. *see* MÖTTÖNEN, M.

RABE, K.F. *see* DENT, G.
RABENOELINA, F. *see* OTTONES, F.
RANGEL, J. *see* HERNANDEZ-PANDO, R.
REDDY, K. *see* SINGHAL, P.C.
REEVE, V.E., NISHIMURA, N., BOSNIC, M., MICHALSKA, A.E. & CHOO, K.H.A. Lack of metallothionein-I and -II exacerbates the immunosuppressive effect of ultraviolet B radiation and *cis*-urocanic acid in mice, 399
RICOTTI, E. *see* MATERA, L.
ROOK, G.A.W. *see* HERNANDEZ-PANDO, R.
RÜHLMANN, E. *see* DENT, G.
RYFFEL, B. *see* JACOBS, M.

SAKAI, T. *see* ZHANG, T.
SANSOM, D. *see* O'BYRNE, D.
SAVION, N. *see* ARIEL, A.
SCHABACKER, D.S., KIRSCHBAUM, K.S. & SEGRE, M. Exploring the feasibility of an anti-idiotypic cocaine vaccine: analysis of the specificity of anticocaine antibodies (Ab1) capable of inducing Ab2β anti-idiotypic antibodies, 48
SCHAT, K.A. *see* XING, Z.

SCHEUER, W. *see* MATHY, N.L.
SCHWARZFISCHER, L. *see* AMMON, C.
SCOTT, M. *see* WORMLEY F.L., JR
SEGRE, M. *see* SCHABACKER, D.S.
SERIZAWA, I. *see* HONMA, N.
SEYA, T. *see* BEGUM, N.A.
SEYMOUR, K. *see* O'FLAHERTY, E.
SHAO, D.-Z. *see* ONO, S.
SHAW, D.M., GAERTHÉ, B., LEER, R.J., VAN DER STAP, J.G.M.M., SMITTENAAR, C., HEIJNE DEN BAK-GLASHOUWER, M.-J., THOLE, J.E.R., TIELEN, F.J., POUWELS, P.H. & HAVENITH, C.E.G. Engineering the microflora to vaccinate the mucosa: serum immunoglobulin G responses and activated draining cervical lymph nodes following mucosal application of tetanus toxin fragment C-expressing lactobacilli, 510
SHIMIZU, T. *see* BANNAI, M.
SHIN, B.A. *see* KIM, T.S.
SHIRWAN, H. *see* HUANG, Y.
SIGOLA, L.B. & ZINYAMA, R.B. Adrenaline inhibits macrophage nitric oxide production through β_1 and β_2 adrenergic receptors, 359
SIMÓ, A. *see* SUÁREZ, A.
SINGHAL, P.C., KAPASI, A.A., FRANKI, N. & REDDY, K. Morphine-induced macrophage apoptosis: the role of transforming growth factor-β, 57
SMITH, D.E. *see* HAN, S.N.
SMITTENAAR, C. *see* SHAW, D.M.
SPADA, F. *see* EXLEY, M.
SPILLER, O.B. *see* HARRIS, C.L.
SUÁREZ, A., MOZO, L., GAYO, A., SIMÓ, A. & GUTIÉRREZ, C. Induction of functional CD154 (CD40 ligand) in neonatal T cells by cAMP-elevating agents, 432
SUEN, J.-L. *see* WU, W.-M.
SUN, J. *see* BUTLER, J.E.
SZETO, C.-C., GILLIESPIE, K.M. & MATHIESON, P.W. Levamisole induces interleukin-18 and shifts type 1/type 2 cytokine balance, 217

TADA, T. *see* HE, C.
TAHIR, S.M.A. *see* EXLEY, M.
TAKAMORI, Y. *see* OKA, S.
TAKATA, M. *see* MOTODA, K.
TANIGUCHI, M. *see* HONMA, N.
TASKER, L. *see* MARSHALL-CLARKE, S.
TAUSSIG, M.J. *see* KIRSCH, R.D.
TELEMO, E. *see* KARLSSON, M.R.
TELLEMAN, P. & JUNGHANS, R.P. The role of the Brambell receptor (FcRB) in liver: protection of endocytosed immunoglobulin G (IgG) from catabolism in hepatocytes rather than transport of IgG to bile, 245
THOLE, J.E.R. *see* SHAW, D.M.
TIELEN, F.J. *see* SHAW, D.M.
TISMINETZKY, S. *see* FLÓ, J.
TOIVANEN, P. *see* MÖTTÖNEN, M.
TONGIANI-DAHSHAN, S. *see* KERBLAT, I.
TOUMA, M., MORI, K.J. & HOSONO, M. Failure to remove autoreactive $V\beta6^+$ T cells in Mls-1^a newborn mice attributed to the delayed development of B cells in the thymus, 424

URIBE-LUNA, S. *see* CUMBERBATCH, M.
URSO, R. *see* MARTINI, F.

VAN DER STAP, J.G.M.M. *see* SHAW, D.M.
VARON, D. *see* ARIEL, A.
VEKEMANS, K. *see* MATERA, L.
VERHOEF, A. *see* PALA, P.
VERTHELYI, D. & KLINMAN, D.M. Sex hormone levels correlate with the activity of cytokine-secreting cells *in vivo*, 384
VILLIERS, M.-B. *see* KERBLAT, I.
VUČEVIĆ, D. *see* ARSENOVIĆ-RANIN, N.

WANG, C.-R., HINO, A., YOSHIMOTO, T., NAGASE, H., KATO, T., HIROKAWA, K., MATSUZAWA, A. & NARIUCHI, H. Impaired delayed-type hypersensitivity response in mutant mice secreting soluble CD4 without expression of membrane-bound CD4, 309
WARD, P.P. *see* CUMBERBATCH, M.
WATANABE, H. *see* BANNAI, M.
WEBER, P. *see* BUTLER, J.E.
WELSH, M. *see* LIÉBANA, E.
WILSON, S.B. *see* EXLEY, M.
WONG, W.-K. *see* O'FLAHERTY, E.
WONG, W.S.F. *see* LI, H.
WORMLEY F.L., JR, SCOTT, M., LUO, W., BAKER, M., CHAIBAN, J. & FIDEL P.L., JR. Evidence for a unique expression of CD4 on murine vaginal $CD4^+$ cells, 300
WU, D. *see* HAN, S.N.
WU, W.-M., SUEN, J.-L., LIN, B.-F. & CHIANG, B.-L. Tamoxifen alleviates disease severity and decreases double negative T cells in autoimmune MRL-lpr/lpr mice, 110
WYKES, M & MACPHERSON, G. Dendritic cell-B-cell interaction: dendritic cells provide B cells with CD40-independent proliferation signals and CD40-dependent survival signals, 1

XING, Z. & SCHAT, K.A. Expression of cytokine genes in Marek's disease virus-infected chickens and chicken embryo fibroblast cultures, 70

YAMADA, A. *see* KATAOKA, T.
YAMADA, S. *see* ONO, S.
YAMASHITA, M. *see* ONO, S.
YANG, Y. *see* ONO, S.
YOSHIMOTO, T. *see* WANG, C.-R.

ZHANG, T., MAEKAWA, Y., HANBA, J., DAINICHI, T., NASHED, B.F., HISAEDA, H., SAKAI, T., ASAO, T., HIMENO, K., GOOD, R.A. & KATUNUMA, N. Lysosomal cathepsin B plays an important role in antigen processing, while cathepsin D is involved in degradation of the invariant chain in ovalbumin-immunized mice, 13
ZHU, X. *see* DENT, G.
ZINYAMA, R.B. *see* SIGOLA, L.B.

Subject Index

Adrenaline:
  inhibition of macrophage nitric oxide production, 359
Anti-anti-idiotypic antibodies (Ab3):
  analysis of combining site, 152
Antigen-presenting cells, 364
Anti-idiotype vaccine:
  against cocaine, 48
Antioxidants, polyphenolic:
  and mast cell activation, 471
Apoptosis, T cell:
  regulation, 289
Autoimmunity:
  Lupus, 455

B cells, bone marrow:
  failure to up-regulate class II and B7.2, 141
B cells, CD40:
  CD40 ligand interaction, 269
B lymphocytes:
  suppression of autoimmunity in (NZB × NZW) F_1 mice, 99
B220 expression:
  on apoptotic thymocytes, 417
B-cell help, 1
beige mutation:
  effect on natural killer and natural killer T cells, 165
Brambell receptor:
  role in liver, 245
Brucella suis:
  activation of human T cells, 252

Cathepsins:
  role in antigen processing, 13
CD1d:
  structure and regulation of expression, 37
CD4, unique expression:
  on murine vaginal $CD4^+$ cells, 300
$CD4^+$ T cells, 309
$CD8^+$ thymocytes, in $\beta_2m^{-/-}$ mice:
  induction by dioxin, 185
CD14:
  toxin-binding site, 502
CD40:
  role in costimulation of endothelial cells, 441
CD40 ligand:
  in neonatal T cells, 432
CD46, human:
  remodelling for xenotransplantation, 131
Class I/II presentation of tetanus toxin L chain, 178
Complement:
  decay-accelerating factor, 462
Complement components:
  role in humoral response, 4
CR2:
  role in B-cell tolerance, 4
Crry/p65 antibody to:
  adhesion and proliferation of thymocytes, 334
Cytokine kinetics:
  in tolerized human $CD4^+$ T-cell clones, 209
Cytokines, inflammatory:
  production by giant cells, 352

Decay accelerating factor:
  in guinea pig reproductive organs, 91
Dendritic cells, maturation from blood monocytes:
  effect of granulocyte–macrophage colony-stimulating factor and prolactin, 29

DNA vaccine, modulation of immune response to:
  by co-stimulating molecules, 259

Eosinophils, activation, by platelet-activating factor:
  involvement of protein tyrosine kinase, 231

FD-891:
  inhibition of cytotoxic T lymphocyte-mediated cytotoxicity, 170

γδ T-cell anergy:
  in human immunodeficiency virus infection, 481

Interleukin-10:
  and resistance to *Mycobacterium tuberculosis*, 494
Interleukin-12-secreting cells:
  induction of T helper type 1, 203
Interleukin-15:
  upregulation of CD154 in synovial cells, 238
Interleukin-16, stimulation of pro-inflammatory cytokines:
  by human monocytes, 997
Intestinal colonization and antibody repertoire development, 119

Lactoferrin:
  and Langerhans cell migration, 21
Levamisole:
  induction of interleukin-18, 217

Macrophage activation, by T cells:
  bovine, 194
Macrophage migration inhibitory factor gene, deficiency:
  effect on endotoxaemia, 84
Major histocompatibility complex class I dimerization and nitric oxide synthase expression, 449
Major histocompatibility complex class II presentation:
  of self antigens, 455
Marek's disease:
  expression of cytokine genes, 70
Morphine-induced macrophage apoptosis, 57
Mucosal vaccines:
  recombinant lactobacilli, 510

Natural killer cell cytolytic function and invasiveness:
  stimulation by 2B4, 378
Natural killer receptor Ly-49A:
  role in SHP-1/immunoreceptor tyrosine-based inhibition motif-independent inhibitory signalling, 370
Neutrophil function:
  attenuation with age, 411

Presentation of self antigens, 455

Sex hormones:
  modulation of cytokine secretion, 384

T cells, human, resting:
  lack of costimulation, 225
T helper 1 cytokine production:
  effect of vitamin E, 487
  influenza, 487
Tamoxifen:
  effects on autoimmunity in MRL-lpr/lpr mice, 110
T-cell activation:
  by inflammatory mediators, 345
  CD44, 345
  role of Notch signalling, 281

Thymic B cells:
and defective clonal detection, 424
Thymic selection:
organ culture, 405
T-cell receptor repetoire, 405
Thymocytes:
expression of B220, 417
Tolerance and bystander suppression:
induced by serum from ovalbumin-fed donors, 326

Ultraviolet B radiation, immunosuppressive effect:
role of metallothionein I and II, 399

Vaccine-mediated immunotherapy:
of pulmonary tuberculosis, 391
Very late antigen-4, expression and functional activity:
on human natural killer cells, 77

Xenoantigens, mouse:
contribution to Vβ repertoire, 317